

TEST UPDATE

Hepatitis B Surface Antigen, Prenatal

UVMHC

Effective July 9, 2024, UVMHC's Chemistry Laboratory will be releasing a new order for Hepatitis B Antigen screening on prenatal patients. This change is to ensure all hepatitis B antigen tests on prenatal patients have confirmatory testing on all positive results (Index value ≥ 1.00) per the assay manufacturer's recommendation. The current test, LAB471, only reflexes to confirmation if the index value is between 1 and 50. There will be no change to the specimen requirements.

New Orderable	Epic Code	Atlas Code	Mayo Access ID	Order LOINC	CPT Code(s)
Hepatitis B Surface Antigen, Prenatal	LAB17665	LAB17665	FAH6182	5196-1	87340
Result Component(s)	Epic Code	Atlas Code	Mayo Access ID	Result LOINC	Notes
Hep B Surface Antigen	12301002000	HBSAG	FAH5742	5196-1	

Current Orderable	Epic Code	Atlas Code	Mayo Access ID	Order LOINC	CPT Code(s)
Hepatitis B Surface Antigen	LAB471	HBSAG	FAH5742	5196-1	87340
Result Component(s)	Epic Code	Atlas Code	Mayo Access ID	Result LOINC	Notes
Hep B Surface Antigen	12301002000	HBSAG	FAH5742	5196-1	

The prenatal profiles will be updated, replacing the current hepatitis test, Hepatitis B Surface Antigen (LAB471), with the new Hepatitis B Antigen, Prenatal order.

Updated Prenatal Profiles	Epic Code	Atlas Code	Mayo Access ID
Prenatal Profile	LAB2200	PNAT	N/A
Prenatal Profile and Varicella	LAB2201	VPNAT	N/A
Pre-Eclamptic and Prenatal Profile	LAB3178	PEPNAT	N/A
Prenatal Profile (PNAT) CVPH	LAB15844	N/A	N/A

If you have any questions or concerns about this update, please reach out to the Medical Director of Clinical Chemistry, Dr. Clayton Wilburn, at (clayton.wilburn@uvmhealth.org).

PATHOLOGY & LABORATORY MEDICINE

111 Colchester Avenue | Mail Stop: 233MP1 | Burlington, Vermont 05401

PHONE LABORATORY CUSTOMER SERVICE

(802) 847-5121 | (800) 991-2799